Question 2

For each of the following pairs of terms, explain how the placement or location of the first influences the process indicated by the second.

- Rods, peripheral vision
- A list of unrelated words, word recall
- Serotonin, reduction of depression
- Retinal disparity, depth perception
- Motor cortex, body movement
- Presence of others, performance
- Proximity, perception

General Considerations

- 1. Answers must be presented in sentences, and sentences must be cogent enough for students' meaning to be apparent. Spelling and grammatical mistakes do not reduce students' scores, but spelling must be sufficiently accurate for the reader to be convinced of the intended word.
- 2. Do not score students' notes made in the question section of the booklet. Score only what has been written in the blanks provided.
- 3. Within a point, students will not be penalized for misinformation unless it *directly contradicts* correct information that would otherwise have scored a point.

Point 1: Rods, peripheral vision

Rods are located away from the center of the retina (the term "retina" is not required) and are responsible for peripheral vision.

Notes

- Students must specify the placement of rods *in the eye*. They may not simply say rods are "in the periphery" without referring to the periphery of the eye or retina.
- Students must use the term "peripheral vision" or describe peripheral vision (e.g., "outer edges of the visual field"). It is not enough merely to say that rods allow us to detect movement and form or to see in dim light or in black and white, because the question specifies peripheral vision.

Examples

Score :

"Rods on the side of the eye produce peripheral vision."

Do not score

"Rods on the edge of the pupil allow for peripheral vision." (Rods are not located in the pupil.)

Point 2: A list of unrelated words, word recall

Any of the following are acceptable responses:

- A. Description of how primacy, recency, or serial position influences word recall (these precise terms are not required).
- B. Description of a strategy (e.g., mnemonic device) to mentally rearrange, relocate, or manipulate unrelated words to enhance recall. Or, students can address the <u>inability</u> to rearrange or manipulate unrelated words, which will reduce recall.
- C. Explanation of the location of a word in a list of unrelated words in working/short-term memory or in long-term memory and how this influences recall.

Question 2 (continued)

Examples

Score

"The serial-position effect is demonstrated when people remember words at the beginning of the list."

Do not score

"Unrelated words can't be recalled." (No cognitive manipulation is explained.)

Point 3: Serotonin, reduction of depression

Increased serotonin in the brain (any part of the brain, even if inaccurate) or in neuron-related locations (synapses, receptors, neurons, neural pathways, or the nervous system) reduces depression.

Notes

- Students must indicate that the increase of serotonin reduces depression.
- Students may say that this theory has been questioned by recent research, but the original theory must be explained.
- References to "reuptake" can score only if an acceptable location for this process is also offered within the answer.
- Students may NOT indicate that serotonin is a substance originating outside of the body.

Examples

Score

"More brain serotonin leads to less depression."

Do not score

"More serotonin in the body reduces depression." (No acceptable location has been identified.)

Point 4: Retinal disparity, depth perception

Any of the following are acceptable responses:

- A. Each eye sees a slightly different view, which facilitates perception of depth, distance, or three dimensions.
- B. Location/separation of the two eyes (or retinas) facilitates depth perception.
- C. Two slightly different images of an object facilitate depth perception.
- D. Retinal disparity provides a binocular cue that facilitates depth perception.

Examples

Score 5

"Distance between the eyes creates two different images needed for good depth perception."

Do not score

"Retinal disparity, which helps depth perception, occurs in the brain." (The response does not refer to the eye.)

Question 2 (continued)

Point 5: Motor cortex, body movement

Any of the following are acceptable responses:

- A. The motor cortex is in the frontal lobe and controls movement.
- B. Adjacent parts of the brain can compensate for damage in the motor cortex, allowing body movement (plasticity).
- C. The brain (or any part of the brain, even if inaccurate) is directly linked with movement in a specific part of the body or a specific voluntary action. Specificity can be established by one of the following:
 - i. Identifying a body part that moves (such as the legs) or specific action (such as walking).
 - ii. Saying that a "particular muscle" moves.
- D. The brain (or any part of the brain) corresponds to specific areas of the body. A link can be established by one of the following:
 - i. A "map" of the body (or homunculus) represented in the brain.
 - ii. Crossing over to the opposite side (contralateral control).

Note for options C and D: Students MUST identify the motor cortex as a brain area. The use of "motor cortex" alone repeats a term from the question without offering a location.

Examples

Score

"The brain controls the leg."

Do not score

"The motor cortex is what allows the body to move." (The brain — or specific brain area other than the motor cortex — has not been mentioned.)

Point 6: Presence of others, performance

Students must name and accurately describe a psychological concept tied to how the presence of others can affect performance. Examples include, but are not limited to, the following:

- Social facilitation
- Social loafing
- Bystander effect
- Conformity

Note: Students must clearly connect the psychological concept to the presence of others.

Examples

Score

"Social loafing affects performance. Leah works hard on a project when she has to do it herself, but if she's involved in a group project, she lets the others do most of the work."

Do not score

"The presence of others can increase performance if the task is easy, but the presence of others may damage performance if the task is difficult." (This response does not name a psychological concept.)

Question 2 (continued)

Point 7: Proximity, perception

Students must indicate an understanding of proximity and its impact on a specific perceptual process. Pathways include the following:

- A. Near versus far objects, people, or sounds affect perception of a specific quality of objects, people, or sounds.
- B. When objects, people, or sounds are close to each other, we perceive a whole (Gestalt).
- C. People or objects in close proximity to the observer are perceived more positively over time (mere exposure).

Examples

Score

"When you look at a bunch of trees, the ones that are smaller and blurrier will seem to be farther from you."

"If you see the same person over and over again, like in your class, after a while you start to like them."

Do not score

"If objects have proximity, it affects perception." (An understanding of proximity is not indicated.)

- For each of the following pairs of terms, explain how the placement or location of the first influences the process indicated by the second.
 - Rods, peripheral vision √
 - A list of unrelated words, word recall√
 - Serotonin, reduction of depression.
 - Retinal disparity, depth perception 4
 - Motor cortex, body movement
 - Presence of others, performance \(\sigma \)
 - Proximity, perception

The rods which are located Manily on the outerregions of the eye and one responsible for light/dark help with peripheral Vision because bince they are on the outside the eye" can detect images on either side. Because the cones, for color, are located in the middle the perpheral vision is not have very much color. With out the Rods on the outside Of the eye back we would not have the ability to see to the side while locking straight ahead. Word recall is in fluenced by the placement of the words because there person is more likely to remember the words listed at the beginning me ending of the list and fraget the ones that came in the modele. Pcople who lack the propriet amount of Serutanin will have degression, so by increasing the levels of seratown that the body has this will reduce depression. The placement of sevotanin in the Schapse is important because this is where the Vezeptor sights are depression drugs that are selective serationin uptake, will leave have Serationin in the Europe terbind to the neceptor sights and thus reduce digression. Retinal disparcty as the process in which your two eyes see different images and your brain works to combine the two images, thes relates to depth preception because when the images are Closer the two images have greater difference and the brain must work harder combine them. The location of the eyes on the face intereses dipto preception because the ground with is further when people are standing appears further because the physica i defference is ore- The motor cortex in the brain

Unauthorized copying or reuse of any part of this page is illegal.

ADDITIONAL ANSWER PAGE FOR QUESTION 2

which has different sized representive areas for different parts of the body control
the movement of the body. Body movement that requires have muscal movement
13 more largely represented in the lower than motor cortex than other parts
the hands and face have more are to overrequesented because their are more muscles to
move. The Social faculition effect, where people preform better at track
they are good at when others are around. So the presence of others being
close to the person preforming the action incressees the preforment
atwent ever is being disprayed. Proximity is how close something is to another
thing it too abjects are closer to each other then the brain is more
likely to see themas being grouped together. Forexam Die several
"X's" to clamped together will be preserved, seen, as one group rather than
inducation "x's" in netinal disparity relating to depth procession when the pupils
unthereyes are closer together the object is closer, when the exes we further
apart the object is further away, this physical difference in the eyes
is translated into the brain causing the depth preaction.
»

2. For each of the following pairs of terms, explain how the placement or location of the first influences the process indicated by the second. (OR OUTSICLES OF VERYOR)
Rods, peripheral vision black/white, shading > seeing outer of eige
/. A list of unrelated words, word recall list -> primary recency recall
✓ Serotonin, reduction of depression decrease servitorum > reduce depression
Retinal disparity, depth perception binorular we > enclass cluben serveran
V. Motor cortex, body movement M. C > corrects body mercinent
Presence of others, performance Dit 0 > inhibit performance
Close 5 Control of the control of th
Rads controlling blackfultite and shading
seen by me eye, are took located at
the other edges of the retina. Therefore
peripheral vision, seeing the outer
Edges of ones honzon of the eye,
is made possible. It also makes that
VISION 1853 CLEOK
The placement of unrelated words on
a list will affect what words are
recalled. Because of the primacy
essect, the byst words on a list will
he more easily recalled. Also, with
The recency effect, the last words on
The list will be men easily recalled
than words in the midelle.
Serotonin is a new transmitter that
acts as an inhibitor to the brain
Thomas wills also reside bould by hours
Willy With action oscilly have high
Those with depresion usually have high verels of severonm in their system.
31 - MAINY 3.57 100 MICH 100 100 100 100 100 100 100 100 100 10

Sere roun vexels must be reduced
as well. The reduction of sex for helps
reduce depression
Retural dispanto is a binocular cue:
both eurs are used in order for one
to have depose perception. Therefore,
depth perception is produced through
resinal dispanty.
The moror correx of the brain
controls voluntary movement.
Therefore, the movement of the
body is only possible with the
more correx functioning properly
The presence of others can
either increase or inhibit The
performance of an individual, unan
perform at a higher kretor
perform at a higher keretor
pertorm at a lesser level. (social intertence
Proximity is when the brain
percives that objects closer
- rogether This affects ones
perception of what is or is not
percives that objects closer together should be grouped bogether. This affects one's perception of what is or is not a proper group.

PAGE 1 of 4

2. For each of the following pairs of terms, explain how the placement or location of the first influences the process indicated by the second. Rods, peripheral vision 7 right, shadow A list of unrelated words, word recall = mo meaning/connect Serotonin, reduction of depression > 5. = nelax Retinal disparity, depth perception Motor cortex, body movement • Presence of others, performance > Proximity, perception

Unauthorized copyling or reuse of any part of this page is illegal.

GO ON TO THE NEXT PAGE.

2CCC

ADDITIONAL ANSWER PAGE FOR QUESTION 2

effect subjects would will lind
that it is easier to recall words
closer to the end of the list than
only in the the beginning.
Serstonin is a chemocal
sored throughout the body that
is wed to relaw os
calm the body. Depression is
caused by your a reduced amount of
dopamine which is souther the
found in sweplus in alert and
uvare people. Serstonin can reduce
depression as it will relax the
body instead of a deflated and
helpless keeling.
The reting is found in the
back of the eye like the rods.
If the reting fell victim to
retinal dispority, then depth
perception would be way off
Retiral disparity is the case in
which the retire mistakes some
sort of perception. Depth perception
could be way off in a case of
retinal disparety
The motor cortex found in
f

Question 2 is reprinted for your convenience.

- 2. For each of the following pairs of terms, explain how the placement or location of the first influences the process indicated by the second.
 - Rods, peripheral vision
 - A list of unrelated words, word recall
 - Serotonin, reduction of depression
 - Retinal disparity, depth perception
 - · Motor cortex, body movement
 - Presence of others, performance = enhance/elsences.
 Proximity, perception = eloper, more details

the brain regulates we all of
a lody's movements
The presence of others perhaps
in front of a performer much like, an audience in front of a stage, to
an audience in front of a steep, to
could greatly influence the performance.
Some gerformers feel their para
sympathetic reactions take place
is a full house causing a better.
performance However Some performor
are statement nervous at the
are stated nervour at the
idea of others watching their
idea of others watching their gerformances and thus giving a
are the watching their serformances and thus giving a worse performance. The arrowing of objects will
idea of others watching their gerformances and thus giving a worse performance. The provinctly of objects will result in a defaulte perception of
idea of others watching their gerformances and thus giving a worse performance. The provinctly of objects will result in a defaulte perception of
are the watching their serformances and thus giving a worse performance. The arrowing of objects will

Unauthorized copying or rouse of any part of this page is Hiegal.

ADDITIONAL ANSWER PAGE FOR QUESTION 2				
be.				
		district to the second of the		
			de construction of the second	
			· · · · · · · · · · · · · · · · · · ·	
			,	

STOP

END OF EXAM

THE FOLLOWING INSTRUCTIONS APPLY TO THE COVERS OF THE SECTION II BOOKLET.

- MAKE SURE YOU HAVE COMPLETED THE IDENTIFICATION INFORMATION AS REQUESTED ON THE FRONT AND BACK COVERS OF THE SECTION II BOOKLET.
- CHECK TO SEE THAT YOUR AP NUMBER LABEL APPEARS IN THE BOX(ES) ON THE COVER(S).
- MAKE SURE YOU HAVE USED THE SAME SET OF AP NUMBER LABELS ON <u>ALL</u> AP EXAMS YOU HAVE TAKEN THIS YEAR.

AP® PSYCHOLOGY 2012 SCORING COMMENTARY

Question 2

Overview

This question required students to communicate their knowledge of several psychological concepts by addressing, in a list of paired items, how the placement or location of the first element influences an outcome related to the second element. Specifically, students were required to demonstrate an understanding of the relationship between the following: (1) the rods in the eye and peripheral vision, (2) a cognitive strategy tied to word recall, (3) serotonin in the brain or in a neuron-related structure and the reduction of depression, (4) retinal disparity and depth perception, (5) the motor cortex in the brain and body movement, (6) a psychological concept related to the influence of the presence of others on performance, and (7) the effect of proximity on perception.

Sample: 2AAA

Score: 7

The essay earned point 1 because the student correctly identifies the location of rods in the periphery of the eye and addresses their role in peripheral vision. Point 2 was awarded because the student accurately describes the serial-position effect: a "person is more likely to remember the words listed at the beginning and ending of the list and froget [sic] the ones that came in the middle." Point 3 was merited when the student explains that serotonin is located in the synapses and that increased levels of serotonin will reduce depression. Point 4 was granted because the student explains that disparity between the images in two eyes will result in depth perception. Point 5 was credited because the student specifies that the motor cortex is located in the brain and also refers to specific parts of the body controlled by the motor cortex. The essay earned point 6 because the student identifies and describes social facilitation as a social phenomenon that affects performance: "people preform [sic] better at tasks they are good at when others are around." Point 7 was gained because the student describes how the proximity of objects will result in the Gestalt perception of perceiving a whole, rather than individual parts.

Sample: 2BBB Score: 4

The essay was awarded point 1 because the student correctly identifies the location of rods in the periphery of the retina and indicates that the rods allow for peripheral vision. Point 2 was granted because the primacy effect is accurately described, and the student indicates that the primacy effect enhances recall. The essay did not receive credit for point 3 because the reduction of depression is erroneously tied to reduced levels of serotonin. Point 4 was earned because retinal disparity is explained as a binocular cue from "both eyes" that allows for depth perception. Point 5 was not gained because the student does not reference a specific body part or action, nor does the student mention contralateral control of the body or mapping of the body in the brain. The essay was not awarded point 6 because a psychological concept is not accurately named (e.g., social facilitation). The essay merited point 7 because the student describes Gestalt perception ("the brain percives [sic] that objects closer together should be grouped together") and indicates that this affects perception of "a proper group."

AP® PSYCHOLOGY 2012 SCORING COMMENTARY

Question 2 (continued)

Sample: 2CCC

Score: 2

The essay received no credit for point 1 because the student does not indicate that the rods are located in the peripheral area of the eye or retina. Point 2 was awarded, based on an accurate description of the recency effect. Point 3 was not earned because the student does not indicate that serotonin levels must increase to reduce depression. The essay did not merit point 4 because the student does not describe how depth perception is related to two eyes or two slightly different images. Point 5 received no credit because no specific body movement, voluntary muscle, or mapping of the body in the brain is described. Point 6 was not granted because an appropriate psychological concept (e.g., social facilitation) is not named. The essay earned point 7 because proximity is addressed in terms of the nearness of objects, and a specific property of the object is identified.